Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2003 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Agricultural watersheds

Evaluation of Neural Networks for Modeling Nitrate Concentrations in Rivers. —Jian-Ping Suen and J. Wayland Eheart; 129(6), 505-10 (2003).

Algorithms

Detention Pond Design and Land Use Planning for Watershed Management. —Laura J. Harrell and S. Ranji Ranjithan; 129(2), 98-106 (2003).

Ant Colony Optimization for Design of Water Distribution Systems. —Holger R. Maier, Angus R. Simpson, Aaron C. Zecchin, Wai Kuan Foong, Kuang Yeow Phang, Hsin Yeow Seah, and Chan Lim Tan; 129(3), 200-9 (2003).

Optimization of Water Distribution Network Design Using the Shuffled Frog Leaping Algorithm. — Muzaffar M. Eusuff and Kevin E. Lansey; 129(3), 210-25 (2003).

Optimizing Urban Water Supply Headworks Using Probabilistic Search Methods. —Li-Jie Cui and George Kuczera; 129(5), 380-7 (2003).

Multiobjective Sampling Design for Water Distribution Model Calibration. —Zoran S. Kapelan, Dragan A. Savic, and Godfrey A. Walters; 129(6), 466-79 (2003).

Optimal Scheduling of Multiple Chlorine Sources in Water Distribution Systems. —G. R. Munavalli and M. S. Mohan Kumar; 129(6), 493-504 (2003).

Aquifers

Conjunctive-Management Models for Sustained Yield of Stream-Aquifer Systems. —Paul M. Barlow, David P. Ahlfeld, and David C. Dickerman; 129(1), 35-48 (2003).

Water Level Measurement Locations for Coastal Aquifer Management. —A. Criminisi and T. Tucciarelli; 129(1), 49-58 (2003).

Assessment

Methodology for Assessment of Climate Change Impacts on Large-Scale Flood Protection System. — Slobodan P. Simonovic and Lanhai Li; 129(5), 361-71 (2003).

Bayesian analysis

Integrated Approach to Total Maximum Daily Load Development for Neuse River Estuary using Bayesian Probability Network Model (Neu-BERN). — Mark E. Borsuk, Craig A. Stow, and Kenneth H. Reckhow; 129(4), 271-82 (2003).

Best management practice

Costs of Best Management Practices and Associated Land for Urban Stormwater Control. — David J. Sample, James P. Heaney, Leonard T. Wright, Chi-Yuan Fan, Fu-Hsiung Lai, and Richard Field; 129(1), 59-68 (2003).

Boston

Decision Support System for Adaptive Water Supply Management. — Kirk S. Westphal, Richard M. Vogel, Paul Kirshen, and Steven C. Chapra; 129(3), 165-77 (2003).

Brazil

Optimization of Large-Scale Hydropower System Operations. — Mario T. L. Barros, Frank T-C. Tsai, Shu-li Yang, Joao E. G. Lopes, and William W-G. Yeh; 129(3), 178-88 (2003).

Calibration

Multiobjective Sampling Design for Water Distribution Model Calibration. — Zoran S. Kapelan, Dragan A. Savic, and Godfrey A. Walters; 129(6), 466-79 (2003).

California

Economic-Engineering Optimization for California Water Management. —Andrew J. Draper, Marion W. Jenkins, Kenneth W. Kirby, Jay R. Lund, and Richard E. Howitt; 129(3), 155-64 (2003).

Performance, Cost, and Maintenance Requirements of Austin Sand Filters. —Michael E. Barrett; 129(3), 234-42 (2003).

Reservoir Simulations of Synthetic Rain Floods for the Sacramento and San Joaquin River Basins. —John T. Hickey, Marchia V. Bond, Thomas K. Patton, Kevin A. Richardson, and Paul E. Pugner; 129(6), 443-57 (2003).

Canada

Seasonal Prediction with Error Estimation of Columbia River Streamflow in British Columbia. —William W. Hsieh, Yuval, Jingyang Li, Amir Shabbar, and Stephanie Smith; 129(2), 146-9 (2003).

Methodology for Assessment of Climate Change Impacts on Large-Scale Flood Protection System. — Slobodan P. Simonovic and Lanhai Li; 129(5), 361-71 (2003).

Chlorine

Bulk Decay of Chlorine in Water Distribution Systems. — Nicholas B. Hallam, Fang Hua, John R. West, Christopher F. Forster, and John Simms; 129(1), 78-81 (2003).

Water Quality Parameter Estimation in Steady-State Distribution System. —G. R. Munavalli and M. S. Mohan Kumar; 129(2), 124-34 (2003).

Simulation and Control of Chlorine Levels in Water Distribution Networks. —Sophie Constans, Bernard Brémond, and Paul Morel; 129(2), 135-45 (2003).

Optimal Scheduling of Multiple Chlorine Sources in Water Distribution Systems. —G. R. Munavalli and M. S. Mohan Kumar; 129(6), 493-504 (2003).

Climatic changes

Methodology for Assessment of Climate Change Impacts on Large-Scale Flood Protection System. — Slobodan P. Simonovic and Lanhai Li; 129(5), 361-71 (2003).

Coastal environment

Water Level Measurement Locations for Coastal Aquifer Management. — A. Criminisi and T. Tucciarelli; 129(1), 49-58 (2003).

Comparative studies

Comparison of Estuarine Water Quality Models for Total Maximum Daily Load Development in Neuse River Estuary. — Craig A. Stow, Chris Roessler, Mark E. Borsuk, James D. Bowen, and Kenneth H. Reckhow; 129(4), 307-14 (2003).

Computation

Detention Pond Design and Land Use Planning for Watershed Management. — Laura J. Harrell and S. Ranji Ranjithan; 129(2), 98-106 (2003).

Computer models

Optimization of Water Distribution Network Design Using the Shuffled Frog Leaping Algorithm. — Muzaffar M. Eusuff and Kevin E. Lansey; 129(3), 210-25 (2003).

Costs

Costs of Best Management Practices and Associated Land for Urban Stormwater Control. —David J. Sample, James P. Heaney, Leonard T. Wright, Chi-Yuan Fan, Fu-Hsiung Lai, and Richard Field; 129(1), 59-68 (2003).

Hydrological and Fiscal Impacts of Residential Development: Virginia Case Study. —Darrell J. Bosch, Vinod K. Lohani, Randy L. Dymond, David F. Kibler, and Kurt Stephenson; 129(2), 107-14 (2003).

Performance, Cost, and Maintenance Requirements of Austin Sand Filters. —Michael E. Barrett; 129(3), 234-42 (2003).

Data collection

Water Reservoir Control with Data Mining. —Florian T. Bessler, Dragan A. Savic, and Godfrey A. Walters; 129(1), 26-34 (2003).

Optimal Measurement Site Locations for Inverse Transient Analysis in Pipe Networks. —John P. Vítkovský, James A. Liggett, Angus R. Simpson, and Martin F. Lambert; 129(6), 480-92 (2003).

Decay

Bulk Decay of Chlorine in Water Distribution Systems. — Nicholas B. Hallam, Fang Hua, John R. West, Christopher F. Forster, and John Simms; 129(1), 78-81 (2003).

Water Quality Parameter Estimation in Steady-State Distribution System. —G. R. Munavalli and M. S. Mohan Kumar; 129(2), 124-34 (2003).

Decision support systems

Decision Support System for Adaptive Water Supply Management. —Kirk S. Westphal, Richard M. Vogel, Paul Kirshen, and Steven C. Chapra; 129(3), 165-77 (2003).

Dynamic Optimal Unit Commitment and Loading

in Hydropower Systems. — Jaeeung Yi, John W. Labadie, and Steven Stitt; 129(5), 388-98 (2003).

Deterioration

Modeling Water Pipe Breaks—Three Case Studies. — Geneviève Pelletier, Alain Mailhot, and Jean-Pierre Villeneuve; 129(2), 115-23 (2003).

Digital techniques

Improved Process for Floodplain Delineation from Digital Terrain Models. — Nawajish Sayeed Noman, E. James Nelson, and Alan K. Zundel; 129(5), 427-36 (2003).

Disinfectants

Water Quality Parameter Estimation in Steady-State Distribution System. — G. R. Munavalli and M. S. Mohan Kumar; 129(2), 124-34 (2003).

Dispersion

Projected Sulfate Redistribution As Impacted by Lake Level Stabilization Scenarios: Devils Lake, North Dakota. — Joe D. Manous, Jr., and Heinz G. Stefan; 129(5), 399-408 (2003).

Dispute resolution

Interplay of Science and Stakeholder Values in Neuse River Total Maximum Daily Load Process. — Lynn A. Maguire; 129(4), 261-70 (2003).

Dissolved oxygen

A *CE-QUAL-W2* Model of Neuse Estuary for Total Maximum Daily Load Development. —James D. Bowen and Jeffrey W. Hieronymus; 129(4), 283-94 (2003).

Droughts

Impact of Spring 2000 Drought Forecasts on Midwestern Water Management. —Stanley A. Changnon and Donald R. Vonnahme; 129(1), 18-25 (2003).

Dynamic programming

Optimal Design of Multidiameter, Multioutlet Pipelines. — Rajesh P. Singh and Pooran S. Mahar; 129(3), 226-33 (2003).

Neural Networks and Reinforcement Learning in Control of Water Systems. —B. Bhattacharya, A. H. Lobbrecht, and D. P. Solomatine; 129(6), 458-65 (2003).

Economic analysis

Integrated Hydrologic-Agronomic-Economic Model for River Basin Management. —Ximing Cai, Daene C. McKinney, and Leon S. Lasdon; 129(1), 4-17 (2003).

Economic factors

Economic-Engineering Optimization for California Water Management. —Andrew J. Draper, Marion W. Jenkins, Kenneth W. Kirby, Jay R. Lund, and Richard E. Howitt; 129(3), 155-64 (2003).

Errors

Seasonal Prediction with Error Estimation of Columbia River Streamflow in British Columbia. —William W. Hsieh, Yuval, Jingyang Li, Amir Shabbar, and Stephanie Smith; 129(2), 146-9 (2003).

Estuaries

Integrated Approach to Total Maximum Daily Load Development for Neuse River Estuary using Bayesian Probability Network Model (Neu-BERN). — Mark E. Borsuk, Craig A. Stow, and Kenneth H. Reckhow; 129(4), 271-82 (2003).

A *CE-QUAL-W2* Model of Neuse Estuary for Total Maximum Daily Load Development. — James D. Bowen and Jeffrey W. Hieronymus; 129(4), 283-94 (2003).

Development of Three-Dimensional Hydrodynamic and Water Quality Models to Support Total Maximum Daily Load Decision Process for the Neuse River Estuary, North Carolina. — Tim A. Wool, Steven R. Davie, and Hugo N. Rodriguez; 129(4), 295-306 (2003).

Comparison of Estuarine Water Quality Models for Total Maximum Daily Load Development in Neuse River Estuary. — Craig A. Stow, Chris Roessler, Mark E. Borsuk, James D. Bowen, and Kenneth H. Reckhow; 129(4), 307-14 (2003).

Eutrophication

Integrated Approach to Total Maximum Daily Load Development for Neuse River Estuary using Bayesian Probability Network Model (Neu-BERN). — Mark E. Borsuk, Craig A. Stow, and Kenneth H. Reckhow; 129(4), 271-82 (2003).

Flood control

Methodology for Assessment of Climate Change Impacts on Large-Scale Flood Protection System. — Slobodan P. Simonovic and Lanhai Li; 129(5), 361-71 (2003).

Improved Process for Floodplain Delineation from Digital Terrain Models. —Nawajish Sayeed Noman, E. James Nelson, and Alan K. Zundel; 129(5), 427-36 (2003).

Flood plain studies

Reservoir Simulations of Synthetic Rain Floods for the Sacramento and San Joaquin River Basins. —John T. Hickey, Marchia V. Bond, Thomas K. Patton, Kevin A. Richardson, and Paul E. Pugner; 129(6), 443-57 (2003).

Flood plains

Improved Process for Floodplain Delineation from Digital Terrain Models. —Nawajish Sayeed Noman, E. James Nelson, and Alan K. Zundel; 129(5), 427-36 (2003).

Floods

Projected Sulfate Redistribution As Impacted by Lake Level Stabilization Scenarios: Devils Lake, North Dakota. —Joe D. Manous, Jr., and Heinz G. Stefan; 129(5), 399-408 (2003).

Florida

Estimation of Urban Imperviousness and its Impacts on Storm Water Systems. —Joong Gwang Lee and James P. Heaney; 129(5), 419-26 (2003).

Forecasting

Impact of Spring 2000 Drought Forecasts on Midwestern Water Management. —Stanley A. Changnon and Donald R. Vonnahme; 129(1), 18-25 (2003).

Friction coefficients

Optimal Measurement Site Locations for Inverse Transient Analysis in Pipe Networks. —John P. Vítkovský, James A. Liggett, Angus R. Simpson, and Martin F. Lambert; 129(6), 480-92 (2003).

Fuzzy sets

Fuzzy Logic Spatial Decision Support System for Urban Water Management. —C. K. Makropoulos, D. Butler, and C. Maksimovic; 129(1), 69-77 (2003).

Geographic information systems

Hydrological and Fiscal Impacts of Residential Development: Virginia Case Study. — Darrell J. Bosch, Vinod K. Lohani, Randy L. Dymond, David F. Kibler, and Kurt Stephenson; 129(2), 107-14 (2003).

Georgia

Coping with Uncertainty: A Case Study in Sediment Transport and Nutrient Load Analysis. — Olufemi O. Osidele, Wei Zeng, and M. B. Beck; 129(4), 345-55 (2003).

Ground-water management

Conjunctive-Management Models for Sustained Yield of Stream-Aquifer Systems. — Paul M. Barlow, David P. Ahlfeld, and David C. Dickerman; 129(1), 35-48 (2003).

Heavy metals

Robustness of River Basin Water Quality Models. — C. J. de Blois, H. G. Wind, J. L. de Kok, and K. Koppeschaar; 129(3), 189-99 (2003).

Hybrid methods

Hybrid Approach for Modeling Wet Weather Response in Wastewater Systems. — Zoran Vojinovic, Vojislav Kecman, and Vladan Babovic; 129(6), 511-21 (2003).

Hydroelectric power generation

Dynamic Optimal Unit Commitment and Loading in Hydropower Systems. —Jaeeung Yi, John W. Labadie, and Steven Stitt; 129(5), 388-98 (2003).

Hydroelectric powerplants

Optimization of Large-Scale Hydropower System Operations. —Mario T. L. Barros, Frank T-C. Tsai, Shu-li Yang, Joao E. G. Lopes, and William W-G. Yeh; 129(3), 178-88 (2003).

Hydrologic models

Hydrological and Fiscal Impacts of Residential Development: Virginia Case Study. —Darrell J. Bosch, Vinod K. Lohani, Randy L. Dymond, David F. Kibler, and Kurt Stephenson; 129(2), 107-14 (2003).

Hydrology

Estimation of Urban Imperviousness and its Impacts on Storm Water Systems. —Joong Gwang Lee and James P. Heaney; 129(5), 419-26 (2003).

Illinois

Evaluation of Neural Networks for Modeling Nitrate Concentrations in Rivers. —Jian-Ping Suen and J. Wayland Eheart; 129(6), 505-10 (2003).

Inflow

Water Reservoir Control with Data Mining. —Florian T. Bessler, Dragan A. Savic, and Godfrey A. Walters; 129(1), 26-34 (2003).

Integrated systems

Integrated Approach to Total Maximum Daily Load Development for Neuse River Estuary using Bayesian Probability Network Model (Neu-BERN). — Mark E. Borsuk, Craig A. Stow, and Kenneth H. Reckhow; 129(4), 271-82 (2003).

Irrigation

Integrated Hydrologic-Agronomic-Economic Model for River Basin Management. —Ximing Cai, Daene C. McKinney, and Leon S. Lasdon; 129(1), 4-17 (2003).

Lakes
Consideration of Variability and Uncertainty in Phosphorus Total Maximum Daily Loads for Lakes. — William W. Walker, Jr.; 129(4), 337-44 (2003).
Projected Sulfate Redistribution As Impacted by Lake Level Stabilization Scenarios: Devils Lake, North Dakota. — Joe D. Manous, Jr., and Heinz G. Stefan; 129(5), 399-408 (2003).
Land usage
Detention Pond Design and Land Use Planning for Watershed Management. — Laura J. Harrell and S. Ranji Ranjithan; 129(2), 98-106 (2003).
Hydrological and Fiscal Impacts of Residential Development: Virginia Case Study. — Darrell J. Bosch, Vinod K. Lohani, Randy L. Dymond, David F. Kibler, and Kurt Stephenson; 129(2), 107-14 (2003).
Leakage
Optimal Measurement Site Locations for Inverse Transient Analysis in Pipe Networks. — John P. Vítkovský, James A. Liggett, Angus R. Simpson, and Martin F. Lambert; 129(6), 480-92 (2003).
Learning
Neural Networks and Reinforcement Learning in Control of Water Systems. —B. Bhattacharya, A. H. Lobbrecht, and D. P. Solomatine; 129(6), 458-65 (2003).
Locations
Optimal Measurement Site Locations for Inverse Transient Analysis in Pipe Networks. —John P. Vítkovský, James A. Liggett, Angus R. Simpson, and Martin F. Lambert; 129(6), 480-92 (2003).
Maintenance
Performance, Cost, and Maintenance Requirements of Austin Sand Filters. —Michael E. Barrett; 129(3), 234-42 (2003).
Markov process
Optimal Pump Scheduling in Water Supply Systems with Maximum Demand Charges. —G. McCormick and R. S. Powell; 129(5), 372-9 (2003).
Massachusetts
Decision Support System for Adaptive Water Supply Management. —Kirk S. Westphal, Richard M. Vogel, Paul Kirshen, and Steven C. Chapra; 129(3), 165-77 (2003).
Mathematical models
Robustness of River Basin Water Quality Models. —C. J. de Blois, H. G. Wind, J. L. de Kok, and K. Koppeschaar; 129(3), 189-99 (2003).
Measurement
Water Level Measurement Locations for Coastal Aquifer Management. —A. Criminisi and T. Tucciarelli; 129(1), 49-58 (2003).
Methodology
Optimal Measurement Site Locations for Inverse Transient Analysis in Pipe Networks. —John P. Vítkovský, James A. Liggett, Angus R. Simpson, and Martin F. Lambert; 129(6), 480-92 (2003).
Models
Integrated Approach to Total Maximum Daily Load Development for Neuse River Estuary using Bayesian Probability Network Model (Neu-BERN). — Mark E. Borsuk, Craig A. Stow, and Kenneth H. Reckhow; 129(4), 271-82 (2003).
A *CE-QUAL-W2* Model of Neuse Estuary for Total Maximum Daily Load Development. — James D. Bowen and Jeffrey W. Hieronymus; 129(4), 283-94 (2003).
Hybrid Approach for Modeling Wet Weather Response in Wastewater Systems. — Zoran Vojinovic, Vojislav Kecman, and Vladan Babovic; 129(6), 511-21 (2003).
Monte Carlo method
Coping with Uncertainty: A Case Study in Sediment Transport and Nutrient Load Analysis. — Olufemi O. Osidele, Wei Zeng, and M. B. Beck; 129(4), 345-55 (2003).
Multiple objective analysis
Multiobjective Sampling Design for Water Distribution Model Calibration. — Zoran S. Kapelan, Dragan A. Savic, and Godfrey A. Walters; 129(6), 466-79 (2003).
Municipal water
Modeling Water Pipe Breaks—Three Case Studies. — Geneviève Pelletier, Alain Mailhot, and Jean-Pierre Villeneuve; 129(2), 115-23 (2003).
Netherlands
Neural Networks and Reinforcement Learning in Control of Water Systems. —B. Bhattacharya, A. H. Lobbrecht, and D. P. Solomatine; 129(6), 458-65 (2003).
Neural networks
Neural Networks and Reinforcement Learning in Control of Water Systems. —B. Bhattacharya, A. H. Lobbrecht, and D. P. Solomatine; 129(6), 458-65 (2003).
Evaluation of Neural Networks for Modeling Nitrate Concentrations in Rivers. —Jian-Ping Suen and J. Wayland Eheart; 129(6), 505-10 (2003).
Hybrid Approach for Modeling Wet Weather Response in Wastewater Systems. —Zoran Vojinovic, Vojislav Kecman, and Vladan Babovic; 129(6), 511-21 (2003).
Nitrates
Evaluation of Neural Networks for Modeling Nitrate Concentrations in Rivers. —Jian-Ping Suen and J. Wayland Eheart; 129(6), 505-10 (2003).
Nitrogen
Support of Total Maximum Daily Load Programs Using Spatially Referenced Regression Models. —Gerard McMahon, Richard B. Alexander, and Song Qian; 129(4), 315-29 (2003).
North Carolina
Detention Pond Design and Land Use Planning for Watershed Management. —Laura J. Harrell and S. Ranji Ranjithan; 129(2), 98-106 (2003).
Interplay of Science and Stakeholder Values in Neuse River Total Maximum Daily Load Process. — Lynn A. Maguire; 129(4), 261-70 (2003).
Integrated Approach to Total Maximum Daily Load Development for Neuse River Estuary using Bayesian Probability Network Model (Neu-BERN). — Mark E. Borsuk, Craig A. Stow, and Kenneth H. Reckhow; 129(4), 271-82 (2003).
A *CE-QUAL-W2* Model of Neuse Estuary for Total Maximum Daily Load Development. —James D. Bowen and Jeffrey W. Hieronymus; 129(4), 283-94 (2003).
Development of Three-Dimensional Hydrodynamic and Water Quality Models to Support Total Maximum Daily Load Decision Process for the Neuse River Estuary, North Carolina. —Tim A. Wool, Steven R. Davie, and Hugo N. Rodriguez; 129(4), 295-306 (2003).
Comparison of Estuarine Water Quality Models for Total Maximum Daily Load Development in Neuse River Estuary. — Craig A. Stow, Chris Roessler, Mark E. Borsuk, James D. Bowen, and Kenneth H. Reckhow; 129(4), 307-14 (2003).
Support of Total Maximum Daily Load Programs Using Spatially Referenced Regression Models. — Gerard McMahon, Richard B. Alexander, and Song Qian; 129(4), 315-29 (2003).
North Dakota
Projected Sulfate Redistribution As Impacted by Lake Level Stabilization Scenarios: Devils Lake, North Dakota. — Joe D. Manous, Jr., and Heinz G. Stefan; 129(5), 399-408 (2003).
Numerical models
Conjunctive-Management Models for Sustained Yield of Stream-Aquifer Systems. — Paul M. Barlow, David P. Ahlfeld, and David C. Dickerman; 129(1), 35-48 (2003).
Nutrient loads
Robustness of River Basin Water Quality Models. —C. J. de Blois, H. G. Wind, J. L. de Kok, and K. Koppeschaar; 129(3), 189-99 (2003).
Coping with Uncertainty: A Case Study in Sediment Transport and Nutrient Load Analysis. —Olufemi O. Osidele, Wei Zeng, and M. B. Beck; 129(4), 345-55 (2003).
Nutrients
Development of Three-Dimensional Hydrodynamic and Water Quality Models to Support Total Maximum Daily Load Decision Process for the Neuse River Estuary, North Carolina. —Tim A. Wool, Steven R. Davie, and Hugo N. Rodriguez; 129(4), 295-306 (2003).
Support of Total Maximum Daily Load Programs Using Spatially Referenced Regression Models. —Gerard McMahon, Richard B. Alexander, and Song Qian; 129(4), 315-29 (2003).
Optimization
Integrated Hydrologic-Agronomic-Economic Model for River Basin Management. —Ximing Cai, Daene C. McKinney, and Leon S. Lasdon; 129(1), 4-17 (2003).
Optimization of Reservoir Management and Operation with Hedging Rules. —Ming-Yen Tu, Nien-Sheng Hsu, and William W.-G. Yeh; 129(2), 86-97 (2003).
Economic-Engineering Optimization for California Water Management. —Andrew J. Draper, Marion W. Jenkins, Kenneth W. Kirby, Jay R. Lund, and Richard E. Howitt; 129(3), 155-64 (2003).
Ant Colony Optimization for Design of Water Distribution Systems. —Holger R. Maier, Angus R. Simpson, Aaron C. Zecchin, Wai Kuan Foong, Kuang Yeow Phang, Hsin Yeow Seah, and Chan Lim Tan; 129(3), 200-9 (2003).
Optimization of Water Distribution Network Design Using the Shuffled Frog Leaping Algorithm. — Muzaffar M. Eusuff and Kevin E. Lansey; 129(3), 210-25 (2003).
Optimizing Urban Water Supply Headworks Using Probabilistic Search Methods. —Li-Jie Cui and George Kuczera; 129(5), 380-7 (2003).
Dynamic Optimal Unit Commitment and Loading in Hydropower Systems. —Jaeeung Yi, John W. Labadie, and Steven Stitt; 129(5), 388-98 (2003).

Optimization models
Optimization of Large-Scale Hydropower System Operations. — Mario T. L. Barros, Frank T-C. Tsai, Shu-li Yang, Joao E. G. Lopes, and William W-G. Yeh; 129(3), 178-88 (2003).
Optimal Design of Multidiameter, Multioutlet Pipelines. — Rajesh P. Singh and Pooran S. Mahar; 129(3), 226-33 (2003).

Performance
Performance, Cost, and Maintenance Requirements of Austin Sand Filters. — Michael E. Barrett; 129(3), 234-42 (2003).

Phosphorus
Consideration of Variability and Uncertainty in Phosphorus Total Maximum Daily Loads for Lakes. — William W. Walker, Jr.; 129(4), 337-44 (2003).

Pipe networks
Multiobjective Sampling Design for Water Distribution Model Calibration. — Zoran S. Kapelan, Dragan A. Savic, and Godfrey A. Walters; 129(6), 466-79 (2003).
Optimal Measurement Site Locations for Inverse Transient Analysis in Pipe Networks. —John P. Vítkovský, James A. Liggett, Angus R. Simpson, and Martin F. Lambert; 129(6), 480-92 (2003).

Pollution control
Controlling Storm-Water Runoff with Tradable Allowances for Impervious Surfaces. —Hale W. Thurston, Haynes C. Goddard, David Szlag, and Beth Lemberg; 129(5), 409-18 (2003).

Potable water
Evaluation of Neural Networks for Modeling Nitrate Concentrations in Rivers. —Jian-Ping Suen and J. Wayland Eheart; 129(6), 505-10 (2003).

Precipitation
Hybrid Approach for Modeling Wet Weather Response in Wastewater Systems. —Zoran Vojinovic, Vojislav Kecman, and Vladan Babovic; 129(6), 511-21 (2003).

Prediction
Seasonal Prediction with Error Estimation of Columbia River Streamflow in British Columbia. —William W. Hsieh, Yuval, Jingyang Li, Amir Shabbar, and Stephanie Smith; 129(2), 146-9 (2003).

Probabilistic methods
Optimizing Urban Water Supply Headworks Using Probabilistic Search Methods. —Li-Jie Cui and George Kuczera; 129(5), 380-7 (2003).

Public participation
Interplay of Science and Stakeholder Values in Neuse River Total Maximum Daily Load Process. — Lynn A. Maguire; 129(4), 261-70 (2003).

Pumps
Optimal Pump Scheduling in Water Supply Systems with Maximum Demand Charges. —G. McCormick and R. S. Powell; 129(5), 372-9 (2003).

Regression models
Support of Total Maximum Daily Load Programs Using Spatially Referenced Regression Models. —Gerard McMahon, Richard B. Alexander, and Song Qian; 129(4), 315-29 (2003).

Reservoir management
Optimization of Reservoir Management and Operation with Hedging Rules. — Ming-Yen Tu, Nien-Sheng Hsu, and William W.-G. Yeh; 129(2), 86-97 (2003).

Reservoir operation
Water Reservoir Control with Data Mining. — Florian T. Bessler, Dragan A. Savic, and Godfrey A. Walters; 129(1), 26-34 (2003).
Optimization of Reservoir Management and Operation with Hedging Rules. — Ming-Yen Tu, Nien-Sheng Hsu, and William W.-G. Yeh; 129(2), 86-97 (2003).

Reservoirs
Reservoir Simulations of Synthetic Rain Floods for the Sacramento and San Joaquin River Basins. — John T. Hickey, Marchia V. Bond, Thomas K. Patton, Kevin A. Richardson, and Paul E. Pugner; 129(6), 443-57 (2003).

Residential location
Hydrological and Fiscal Impacts of Residential Development: Virginia Case Study. — Darrell J. Bosch, Vinod K. Lohani, Randy L. Dymond, David F. Kibler, and Kurt Stephenson; 129(2), 107-14 (2003).

Rhode Island
Conjunctive-Management Models for Sustained Yield of Stream-Aquifer Systems. —Paul M. Barlow, David P. Ahlfeld, and David C. Dickerman; 129(1), 35-48 (2003).

Risk management
Integrated Approach to Total Maximum Daily Load Development for Neuse River Estuary using Bayesian Probability Network Model (Neu-BERN). — Mark E. Borsuk, Craig A. Stow, and Kenneth H. Reckhow; 129(4), 271-82 (2003).

River basins
Integrated Hydrologic-Agronomic-Economic Model for River Basin Management. —Ximing Cai, Daene C. McKinney, and Leon S. Lasdon; 129(1), 4-17 (2003).
Robustness of River Basin Water Quality Models. —C. J. de Blois, H. G. Wind, J. L. de Kok, and K. Koppeschaar; 129(3), 189-99 (2003).
Support of Total Maximum Daily Load Programs Using Spatially Referenced Regression Models. —Gerard McMahon, Richard B. Alexander, and Song Qian; 129(4), 315-29 (2003).
Methodology for Assessment of Climate Change Impacts on Large-Scale Flood Protection System. — Slobodan P. Simonovic and Lanhai Li; 129(5), 361-71 (2003).
Reservoir Simulations of Synthetic Rain Floods for the Sacramento and San Joaquin River Basins. —John T. Hickey, Marchia V. Bond, Thomas K. Patton, Kevin A. Richardson, and Paul E. Pugner; 129(6), 443-57 (2003).

Rivers
Interplay of Science and Stakeholder Values in Neuse River Total Maximum Daily Load Process. — Lynn A. Maguire; 129(4), 261-70 (2003).
Coping with Uncertainty: A Case Study in Sediment Transport and Nutrient Load Analysis. —Olufemi O. Osidele, Wei Zeng, and M. B. Beck; 129(4), 345-55 (2003).
Evaluation of Neural Networks for Modeling Nitrate Concentrations in Rivers. —Jian-Ping Suen and J. Wayland Eheart; 129(6), 505-10 (2003).

Salinity
Projected Sulfate Redistribution As Impacted by Lake Level Stabilization Scenarios: Devils Lake, North Dakota. — Joe D. Manous, Jr., and Heinz G. Stefan; 129(5), 399-408 (2003).

Sampling design
Multiobjective Sampling Design for Water Distribution Model Calibration. — Zoran S. Kapelan, Dragan A. Savic, and Godfrey A. Walters; 129(6), 466-79 (2003).

Sand filters
Performance, Cost, and Maintenance Requirements of Austin Sand Filters. — Michael E. Barrett; 129(3), 234-42 (2003).

Scheduling
Optimal Pump Scheduling in Water Supply Systems with Maximum Demand Charges. — G. McCormick and R. S. Powell; 129(5), 372-9 (2003).
Dynamic Optimal Unit Commitment and Loading in Hydropower Systems. — Jaeeung Yi, John W. Labadie, and Steven Stitt; 129(5), 388-98 (2003).
Optimal Scheduling of Multiple Chlorine Sources in Water Distribution Systems. —G. R. Munavalli and M. S. Mohan Kumar; 129(6), 493-504 (2003).

Seasonal variations
Seasonal Prediction with Error Estimation of Columbia River Streamflow in British Columbia. —William W. Hsieh, Yuval, Jingyang Li, Amir Shabbar, and Stephanie Smith; 129(2), 146-9 (2003).

Sediment transport
Coping with Uncertainty: A Case Study in Sediment Transport and Nutrient Load Analysis. —Olufemi O. Osidele, Wei Zeng, and M. B. Beck; 129(4), 345-55 (2003).

Sewers
Costs of Best Management Practices and Associated Land for Urban Stormwater Control. —David J. Sample, James P. Heaney, Leonard T. Wright, Chi-Yuan Fan, Fu-Hsiung Lai, and Richard Field; 129(1), 59-68 (2003).

Simulation
Water Reservoir Control with Data Mining. —Florian T. Bessler, Dragan A. Savic, and Godfrey A. Walters; 129(1), 26-34 (2003).
Simulation and Control of Chlorine Levels in Water Distribution Networks. —Sophie Constans, Bernard Brémond, and Paul Morel; 129(2), 135-45 (2003).

Simulation models
Reservoir Simulations of Synthetic Rain Floods for the Sacramento and San Joaquin River Basins. —John T. Hickey, Marchia V. Bond, Thomas K. Patton, Kevin A. Richardson, and Paul E. Pugner; 129(6), 443-57 (2003).

Spatial analysis
Estimation of Urban Imperviousness and its Impacts on Storm Water Systems. —Joong Gwang Lee and James P. Heaney; 129(5), 419-26 (2003).

Sprinklers
Optimal Design of Multidiameter, Multioutlet Pipelines. — Rajesh P. Singh and Pooran S. Mahar; 129(3), 226-33 (2003).

Standards
Implications of Applying Statistically Based Procedures for Water Quality Assessment. — Leonard Shabman and Eric Smith; 129(4), 330-6 (2003).

Statistics
Implications of Applying Statistically Based Procedures for Water Quality Assessment. — Leonard Shabman and Eric Smith; 129(4), 330-6 (2003).

Storm runoff
Controlling Storm-Water Runoff with Tradable Allowances for Impervious Surfaces. — Hale W. Thurston, Haynes C. Goddard, David Szlag, and Beth Lemberg; 129(5), 409-18 (2003).

Stormwater management
Costs of Best Management Practices and Associated Land for Urban Stormwater Control. — David J. Sample, James P. Heaney, Leonard T. Wright, Chi-Yuan Fan, Fu-Hsiung Lai, and Richard Field; 129(1), 59-68 (2003).
Controlling Storm-Water Runoff with Tradable Allowances for Impervious Surfaces. — Hale W. Thurston, Haynes C. Goddard, David Szlag, and Beth Lemberg; 129(5), 409-18 (2003).
Estimation of Urban Imperviousness and its Impacts on Storm Water Systems. —Joong Gwang Lee and James P. Heaney; 129(5), 419-26 (2003).

Streamflow
Conjunctive-Management Models for Sustained Yield of Stream-Aquifer Systems. —Paul M. Barlow, David P. Ahlfeld, and David C. Dickerman; 129(1), 35-48 (2003).
Seasonal Prediction with Error Estimation of Columbia River Streamflow in British Columbia. —William W. Hsieh, Yuval, Jingyang Li, Amir Shabbar, and Stephanie Smith; 129(2), 146-9 (2003).

Surface water
Conjunctive-Management Models for Sustained Yield of Stream-Aquifer Systems. —Paul M. Barlow, David P. Ahlfeld, and David C. Dickerman; 129(1), 35-48 (2003).

Taiwan
Optimization of Reservoir Management and Operation with Hedging Rules. —Ming-Yen Tu, Nien-Sheng Hsu, and William W.-G. Yeh; 129(2), 86-97 (2003).

Terrain models
Improved Process for Floodplain Delineation from Digital Terrain Models. —Nawajish Sayeed Noman, E. James Nelson, and Alan K. Zundel; 129(5), 427-36 (2003).

Three-dimensional models
Development of Three-Dimensional Hydrodynamic and Water Quality Models to Support Total Maximum Daily Load Decision Process for the Neuse River Estuary, North Carolina. —Tim A. Wool, Steven R. Davie, and Hugo N. Rodriguez; 129(4), 295-306 (2003).

Uncertainty analysis
Robustness of River Basin Water Quality Models. —C. J. de Blois, H. G. Wind, J. L. de Kok, and K. Koppeschaar; 129(3), 189-99 (2003).
Coping with Uncertainty: A Case Study in Sediment Transport and Nutrient Load Analysis. —Olufemi O. Osidele, Wei Zeng, and M. B. Beck; 129(4), 345-55 (2003).

Urban areas
Costs of Best Management Practices and Associated Land for Urban Stormwater Control. — David J. Sample, James P. Heaney, Leonard T. Wright, Chi-Yuan Fan, Fu-Hsiung Lai, and Richard Field; 129(1), 59-68 (2003).
Fuzzy Logic Spatial Decision Support System for Urban Water Management. — C. K. Makropoulos, D. Butler, and C. Maksimovic; 129(1), 69-77 (2003).
Optimizing Urban Water Supply Headworks Using Probabilistic Search Methods. — Li-Jie Cui and George Kuczera; 129(5), 380-7 (2003).

Urban development
Hydrological and Fiscal Impacts of Residential Development: Virginia Case Study. — Darrell J. Bosch, Vinod K. Lohani, Randy L. Dymond, David F. Kibler, and Kurt Stephenson; 129(2), 107-14 (2003).
Estimation of Urban Imperviousness and its Impacts on Storm Water Systems. — Joong Gwang Lee and James P. Heaney; 129(5), 419-26 (2003).

Virginia
Hydrological and Fiscal Impacts of Residential Development: Virginia Case Study. —Darrell J. Bosch, Vinod K. Lohani, Randy L. Dymond, David F. Kibler, and Kurt Stephenson; 129(2), 107-14 (2003).

Wastewater
Hybrid Approach for Modeling Wet Weather Response in Wastewater Systems. —Zoran Vojinovic, Vojislav Kecman, and Vladan Babovic; 129(6), 511-21 (2003).

Water demand
Optimal Pump Scheduling in Water Supply Systems with Maximum Demand Charges. —G. McCormick and R. S. Powell; 129(5), 372-9 (2003).

Water distribution
Bulk Decay of Chlorine in Water Distribution Systems. — Nicholas B. Hallam, Fang Hua, John R. West, Christopher F. Forster, and John Simms; 129(1), 78-81 (2003).
Optimization of Reservoir Management and Operation with Hedging Rules. —Ming-Yen Tu, Nien-Sheng Hsu, and William W.-G. Yeh; 129(2), 86-97 (2003).
Water Quality Parameter Estimation in Steady-State Distribution System. —G. R. Munavalli and M. S. Mohan Kumar; 129(2), 124-34 (2003).
Simulation and Control of Chlorine Levels in Water Distribution Networks. —Sophie Constans, Bernard Brémond, and Paul Morel; 129(2), 135-45 (2003).
Ant Colony Optimization for Design of Water Distribution Systems. —Holger R. Maier, Angus R. Simpson, Aaron C. Zecchin, Wai Kuan Foong, Kuang Yeow Phang, Hsin Yeow Seah, and Chan Lim Tan; 129(3), 200-9 (2003).
Optimization of Water Distribution Network Design Using the Shuffled Frog Leaping Algorithm. — Muzaffar M. Eusuff and Kevin E. Lansey; 129(3), 210-25 (2003).
Multiobjective Sampling Design for Water Distribution Model Calibration. —Zoran S. Kapelan, Dragan A. Savic, and Godfrey A. Walters; 129(6), 466-79 (2003).
Optimal Scheduling of Multiple Chlorine Sources in Water Distribution Systems. — G. R. Munavalli and M. S. Mohan Kumar; 129(6), 493-504 (2003).

Water level
Water Level Measurement Locations for Coastal Aquifer Management. — A. Criminisi and T. Tucciarelli; 129(1), 49-58 (2003).

Water management
Impact of Spring 2000 Drought Forecasts on Midwestern Water Management. — Stanley A. Changnon and Donald R. Vonnahme; 129(1), 18-25 (2003).
Fuzzy Logic Spatial Decision Support System for Urban Water Management. — C. K. Makropoulos, D. Butler, and C. Maksimovic; 129(1), 69-77 (2003).
Economic-Engineering Optimization for California Water Management. — Andrew J. Draper, Marion W. Jenkins, Kenneth W. Kirby, Jay R. Lund, and Richard E. Howitt; 129(3), 155-64 (2003).
Decision Support System for Adaptive Water Supply Management. —Kirk S. Westphal, Richard M. Vogel, Paul Kirshen, and Steven C. Chapra; 129(3), 165-77 (2003).
Robustness of River Basin Water Quality Models. —C. J. de Blois, H. G. Wind, J. L. de Kok, and K. Koppeschaar; 129(3), 189-99 (2003).

Water pipelines
Modeling Water Pipe Breaks—Three Case Studies. —Geneviève Pelletier, Alain Mailhot, and Jean-Pierre Villeneuve; 129(2), 115-23 (2003).
Optimal Design of Multidiameter, Multioutlet Pipelines. — Rajesh P. Singh and Pooran S. Mahar; 129(3), 226-33 (2003).
Hybrid Approach for Modeling Wet Weather Response in Wastewater Systems. —Zoran Vojinovic, Vojislav Kecman, and Vladan Babovic; 129(6), 511-21 (2003).

Water pollution
Evaluation of Neural Networks for Modeling Nitrate Concentrations in Rivers. —Jian-Ping Suen and J. Wayland Eheart; 129(6), 505-10 (2003).

Water pollution control
Robustness of River Basin Water Quality Models. —C. J. de Blois, H. G. Wind, J. L. de Kok, and K. Koppeschaar; 129(3), 189-99 (2003).

Water quality
Water Quality Parameter Estimation in Steady-State Distribution System. —G. R. Munavalli and M. S. Mohan Kumar; 129(2), 124-34 (2003).
Simulation and Control of Chlorine Levels in Water Distribution Networks. —Sophie Constans, Bernard Brémond, and Paul Morel; 129(2), 135-45 (2003).
Interplay of Science and Stakeholder Values in Neuse River Total Maximum Daily Load Process. — Lynn A. Maguire; 129(4), 261-70 (2003).
Integrated Approach to Total Maximum Daily Load Development for Neuse River Estuary using Bayesian Probability Network Model (Neu-BERN). — Mark E. Borsuk, Craig A. Stow, and Kenneth H. Reckhow; 129(4), 271-82 (2003).
A *CE-QUAL-W2* Model of Neuse Estuary for Total Maximum Daily Load Development. —James D. Bowen and Jeffrey W. Hieronymus; 129(4), 283-94 (2003).
Development of Three-Dimensional Hydrody-

namic and Water Quality Models to Support Total Maximum Daily Load Decision Process for the Neuse River Estuary, North Carolina. — Tim A. Wool, Steven R. Davie, and Hugo N. Rodriguez; 129(4), 295-306 (2003).

Comparison of Estuarine Water Quality Models for Total Maximum Daily Load Development in Neuse River Estuary. — Craig A. Stow, Chris Roessler, Mark E. Borsuk, James D. Bowen, and Kenneth H. Reckhow; 129(4), 307-14 (2003).

Consideration of Variability and Uncertainty in Phosphorus Total Maximum Daily Loads for Lakes. — William W. Walker, Jr.; 129(4), 337-44 (2003).

Projected Sulfate Redistribution As Impacted by Lake Level Stabilization Scenarios: Devils Lake, North Dakota. — Joe D. Manous, Jr., and Heinz G. Stefan; 129(5), 399-408 (2003).

Optimal Scheduling of Multiple Chlorine Sources in Water Distribution Systems. — G. R. Munavalli and M. S. Mohan Kumar; 129(6), 493-504 (2003).

Water quality control

Implications of Applying Statistically Based Procedures for Water Quality Assessment. — Leonard Shabman and Eric Smith; 129(4), 330-6 (2003).

Water resources management

Integrated Hydrologic-Agronomic-Economic Model for River Basin Management. — Ximing Cai, Daene C. McKinney, and Leon S. Lasdon; 129(1), 4-17 (2003).

Optimization of Reservoir Management and Operation with Hedging Rules. — Ming-Yen Tu, Nien-Sheng Hsu, and William W.-G. Yeh; 129(2), 86-97 (2003).

Water supply

Decision Support System for Adaptive Water Supply Management. — Kirk S. Westphal, Richard M. Vogel, Paul Kirshen, and Steven C. Chapra; 129(3), 165-77 (2003).

Optimizing Urban Water Supply Headworks Using Probabilistic Search Methods. — Li-Jie Cui and George Kuczera; 129(5), 380-7 (2003).

Water supply systems

Optimal Pump Scheduling in Water Supply Systems with Maximum Demand Charges. — G. McCormick and R. S. Powell; 129(5), 372-9 (2003).

Neural Networks and Reinforcement Learning in Control of Water Systems. — B. Bhattacharya, A. H. Lobbrecht, and D. P. Solomatine; 129(6), 458-65 (2003).

Watershed management

Detention Pond Design and Land Use Planning for Watershed Management. — Laura J. Harrell and S. Ranji Ranjithan; 129(2), 98-106 (2003).

Author Index

Ahlfeld, David P.
Conjunctive-Management Models for Sustained Yield of Stream-Aquifer Systems. —Paul M. Barlow, David P. Ahlfeld, and David C. Dickerman; 129(1), 35-48 (2003).

Alexander, Richard B.
Support of Total Maximum Daily Load Programs Using Spatially Referenced Regression Models. —Gerard McMahon, Richard B. Alexander, and Song Qian; 129(4), 315-29 (2003).

Babovic, Vladan
Hybrid Approach for Modeling Wet Weather Response in Wastewater Systems. —Zoran Vojinovic, Vojislav Kecman, and Vladan Babovic; 129(6), 511-21 (2003).

Barlow, Paul M.
Conjunctive-Management Models for Sustained Yield of Stream-Aquifer Systems. —Paul M. Barlow, David P. Ahlfeld, and David C. Dickerman; 129(1), 35-48 (2003).

Barrett, Michael E.
Performance, Cost, and Maintenance Requirements of Austin Sand Filters. —Michael E. Barrett; 129(3), 234-42 (2003).

Barros, Mario T. L.
Optimization of Large-Scale Hydropower System Operations. —Mario T. L. Barros, Frank T-C. Tsai, Shu-li Yang, Joao E. G. Lopes, and William W-G. Yeh; 129(3), 178-88 (2003).

Beck, M. B.
Coping with Uncertainty: A Case Study in Sediment Transport and Nutrient Load Analysis. —Olufemi O. Osidele, Wei Zeng, and M. B. Beck; 129(4), 345-55 (2003).

Bessler, Florian T.
Water Reservoir Control with Data Mining. —Florian T. Bessler, Dragan A. Savic, and Godfrey A. Walters; 129(1), 26-34 (2003).

Bhattacharya, B.
Neural Networks and Reinforcement Learning in Control of Water Systems. —B. Bhattacharya, A. H. Lobbrecht, and D. P. Solomatine; 129(6), 458-65 (2003).

Bond, Marchia V.
Reservoir Simulations of Synthetic Rain Floods for the Sacramento and San Joaquin River Basins. —John T. Hickey, Marchia V. Bond, Thomas K. Patton, Kevin A. Richardson, and Paul E. Pugner; 129(6), 443-57 (2003).

Borsuk, Mark E.
Integrated Approach to Total Maximum Daily Load Development for Neuse River Estuary using Bayesian Probability Network Model (Neu-BERN). — Mark E. Borsuk, Craig A. Stow, and Kenneth H. Reckhow; 129(4), 271-82 (2003).
Comparison of Estuarine Water Quality Models for Total Maximum Daily Load Development in Neuse River Estuary. —Craig A. Stow, Chris Roessler, Mark E. Borsuk, James D. Bowen, and Kenneth H. Reckhow; 129(4), 307-14 (2003).

Bosch, Darrell J.
Hydrological and Fiscal Impacts of Residential Development: Virginia Case Study. — Darrell J. Bosch, Vinod K. Lohani, Randy L. Dymond, David F. Kibler, and Kurt Stephenson; 129(2), 107-14 (2003).

Bowen, James D.
A *CE-QUAL-W2* Model of Neuse Estuary for Total Maximum Daily Load Development. — James D. Bowen and Jeffrey W. Hieronymus; 129(4), 283-94 (2003).
Comparison of Estuarine Water Quality Models for Total Maximum Daily Load Development in Neuse River Estuary. — Craig A. Stow, Chris Roessler, Mark E. Borsuk, James D. Bowen, and Kenneth H. Reckhow; 129(4), 307-14 (2003).

Brémond, Bernard
Simulation and Control of Chlorine Levels in Water Distribution Networks. — Sophie Constans, Bernard Brémond, and Paul Morel; 129(2), 135-45 (2003).

Butler, D.
Fuzzy Logic Spatial Decision Support System for Urban Water Management. —C. K. Makropoulos, D. Butler, and C. Maksimovic; 129(1), 69-77 (2003).

Cai, Ximing
Integrated Hydrologic-Agronomic-Economic Model for River Basin Management. —Ximing Cai, Daene C. McKinney, and Leon S. Lasdon; 129(1), 4-17 (2003).

Changnon, Stanley A.
Impact of Spring 2000 Drought Forecasts on Midwestern Water Management. —Stanley A. Changnon and Donald R. Vonnahme; 129(1), 18-25 (2003).

Chapra, Steven C.
Decision Support System for Adaptive Water Supply Management. —Kirk S. Westphal, Richard M. Vogel, Paul Kirshen, and Steven C. Chapra; 129(3), 165-77 (2003).
Engineering Water Quality Models and TMDLs. —Steven C. Chapra; 129(4), 247-56 (2003).

Clark, Robert M.
Closure to "Predicting Chlorine Residuals in Drinking Water: Second Order Model" by Robert M. Clark and Mano Sivaganesan. —Robert M. Clark and Mano Sivaganesan; 129(5), 438-9 (2003).

Constans, Sophie
Simulation and Control of Chlorine Levels in Water Distribution Networks. —Sophie Constans, Bernard Brémond, and Paul Morel; 129(2), 135-45 (2003).

Criminisi, A.
Water Level Measurement Locations for Coastal Aquifer Management. — A. Criminisi and T. Tucciarelli; 129(1), 49-58 (2003).

Cui, Li-Jie
Optimizing Urban Water Supply Headworks Using Probabilistic Search Methods. — Li-Jie Cui and George Kuczera; 129(5), 380-7 (2003).

Davie, Steven R.
Development of Three-Dimensional Hydrodynamic and Water Quality Models to Support Total Maximum Daily Load Decision Process for the Neuse River Estuary, North Carolina. — Tim A. Wool, Steven R. Davie, and Hugo N. Rodriguez; 129(4), 295-306 (2003).

de Blois, C. J.
Robustness of River Basin Water Quality Models. — C. J. de Blois, H. G. Wind, J. L. de Kok, and K. Koppeschaar; 129(3), 189-99 (2003).

de Kok, J. L.
Robustness of River Basin Water Quality Models. — C. J. de Blois, H. G. Wind, J. L. de Kok, and K. Koppeschaar; 129(3), 189-99 (2003).

Dickerman, David C.
Conjunctive-Management Models for Sustained Yield of Stream-Aquifer Systems. —Paul M. Barlow, David P. Ahlfeld, and David C. Dickerman; 129(1), 35-48 (2003).

Draper, Andrew J.
Economic-Engineering Optimization for California Water Management. —Andrew J. Draper, Marion W. Jenkins, Kenneth W. Kirby, Jay R. Lund, and Richard E. Howitt; 129(3), 155-64 (2003).

Dymond, Randy L.
Hydrological and Fiscal Impacts of Residential Development: Virginia Case Study. —Darrell J. Bosch, Vinod K. Lohani, Randy L. Dymond, David F. Kibler, and Kurt Stephenson; 129(2), 107-14 (2003).

Eheart, J. Wayland
Evaluation of Neural Networks for Modeling Nitrate Concentrations in Rivers. —Jian-Ping Suen and J. Wayland Eheart; 129(6), 505-10 (2003).

Eusuff, Muzaffar M.
Optimization of Water Distribution Network Design Using the Shuffled Frog Leaping Algorithm. — Muzaffar M. Eusuff and Kevin E. Lansey; 129(3), 210-25 (2003).

Fan, Chi-Yuan
Costs of Best Management Practices and Associated Land for Urban Stormwater Control. —David J. Sample, James P. Heaney, Leonard T. Wright, Chi-Yuan Fan, Fu-Hsiung Lai, and Richard Field; 129(1), 59-68 (2003).

Field, Richard
Costs of Best Management Practices and Associated Land for Urban Stormwater Control. — David J. Sample, James P. Heaney, Leonard T. Wright, Chi-Yuan Fan, Fu-Hsiung Lai, and Richard Field; 129(1), 59-68 (2003).

Foong, Wai Kuan
Ant Colony Optimization for Design of Water Distribution Systems. — Holger R. Maier, Angus R. Simpson, Aaron C. Zecchin, Wai Kuan Foong, Kuang Yeow Phang, Hsin Yeow Seah, and Chan Lim Tan; 129(3), 200-9 (2003).

Forster, Christopher F.
Bulk Decay of Chlorine in Water Distribution Systems. — Nicholas B. Hallam, Fang Hua, John R. West, Christopher F. Forster, and John Simms; 129(1), 78-81 (2003).

Goddard, Haynes C.
Controlling Storm-Water Runoff with Tradable Allowances for Impervious Surfaces. — Hale W. Thurston, Haynes C. Goddard, David Szlag, and Beth Lemberg; 129(5), 409-18 (2003).

Grigg, Neil S.
Review of *Water Resources Planning* by Andrew A. Dzurik. — Neil S. Grigg; 129(3), 243 (2003).

Haith, Douglas A.
Systems Analysis, TMDLs and Watershed Approach. — Douglas A. Haith; 129(4), 257-60 (2003).

Hallam, Nicholas B.
Bulk Decay of Chlorine in Water Distribution Systems. — Nicholas B. Hallam, Fang Hua, John R. West, Christopher F. Forster, and John Simms; 129(1), 78-81 (2003).

Harrell, Laura J.
Detention Pond Design and Land Use Planning for Watershed Management. —Laura J. Harrell and S. Ranji Ranjithan; 129(2), 98-106 (2003).

Heaney, James P.
Costs of Best Management Practices and Associated Land for Urban Stormwater Control. —David J. Sample, James P. Heaney, Leonard T. Wright, Chi-Yuan Fan, Fu-Hsiung Lai, and Richard Field; 129(1), 59-68 (2003).
Estimation of Urban Imperviousness and its Impacts on Storm Water Systems. —Joong Gwang Lee and James P. Heaney; 129(5), 419-26 (2003).

Hickey, John T.
Reservoir Simulations of Synthetic Rain Floods for the Sacramento and San Joaquin River Basins. —John T. Hickey, Marchia V. Bond, Thomas K. Patton, Kevin A. Richardson, and Paul E. Pugner; 129(6), 443-57 (2003).

Hieronymus, Jeffrey W.
A *CE-QUAL-W2* Model of Neuse Estuary for Total Maximum Daily Load Development. —James D. Bowen and Jeffrey W. Hieronymus; 129(4), 283-94 (2003).

Hipel, Keith W.
Review of *Conflict Prevention and Resolution in Water Systems* by Aaron T. Wolf, ed. —Keith W. Hipel; 129(5), 440 (2003).

Hoff, Holger
TSAI and the Global Water System. —Charles J. Vörösmarty, Carlo Jaeger, Christian Lévêque, and Holger Hoff; 129(2), 83-5 (2003).

Howard, Charles D. D.
Review of *America's Master Dam Builder: The Engineering Genius of Frank T. Crowe* by Al M. Rocca. — Charles D. D. Howard; 129(3), 243-4 (2003).

Howitt, Richard E.
Economic-Engineering Optimization for California Water Management. — Andrew J. Draper, Marion W. Jenkins, Kenneth W. Kirby, Jay R. Lund, and Richard E. Howitt; 129(3), 155-64 (2003).

Hsieh, William W.
Seasonal Prediction with Error Estimation of Columbia River Streamflow in British Columbia. — William W. Hsieh, Yuval, Jingyang Li, Amir Shabbar, and Stephanie Smith; 129(2), 146-9 (2003).

Hsu, Nien-Sheng
Optimization of Reservoir Management and Operation with Hedging Rules. — Ming-Yen Tu, Nien-Sheng Hsu, and William W.-G. Yeh; 129(2), 86-97 (2003).

Hua, Fang
Bulk Decay of Chlorine in Water Distribution Systems. — Nicholas B. Hallam, Fang Hua, John R. West, Christopher F. Forster, and John Simms; 129(1), 78-81 (2003).

Jaeger, Carlo
TSAI and the Global Water System. —Charles J. Vörösmarty, Carlo Jaeger, Christian Lévêque, and Holger Hoff; 129(2), 83-5 (2003).

Jenkins, Marion W.
Economic-Engineering Optimization for California Water Management. —Andrew J. Draper, Marion W. Jenkins, Kenneth W. Kirby, Jay R. Lund, and Richard E. Howitt; 129(3), 155-64 (2003).

Johns, Gerald
Where Is California Taking Water Transfers? —Gerald Johns; 129(1), 1-3 (2003).

Kapelan, Zoran S.
Multiobjective Sampling Design for Water Distribution Model Calibration. —Zoran S. Kapelan, Dragan A. Savic, and Godfrey A. Walters; 129(6), 466-79 (2003).

Kecman, Vojislav
Hybrid Approach for Modeling Wet Weather Response in Wastewater Systems. —Zoran Vojinovic, Vojislav Kecman, and Vladan Babovic; 129(6), 511-21 (2003).

Kibler, David F.
Hydrological and Fiscal Impacts of Residential Development: Virginia Case Study. —Darrell J. Bosch, Vinod K. Lohani, Randy L. Dymond, David F. Kibler, and Kurt Stephenson; 129(2), 107-14 (2003).

Kirby, Kenneth W.
Economic-Engineering Optimization for California Water Management. —Andrew J. Draper, Marion W. Jenkins, Kenneth W. Kirby, Jay R. Lund, and Richard E. Howitt; 129(3), 155-64 (2003).

Kirshen, Paul
Decision Support System for Adaptive Water Supply Management. —Kirk S. Westphal, Richard M. Vogel, Paul Kirshen, and Steven C. Chapra; 129(3), 165-77 (2003).

Koppeschaar, K.
Robustness of River Basin Water Quality Models. — C. J. de Blois, H. G. Wind, J. L. de Kok, and K. Koppeschaar; 129(3), 189-99 (2003).

Kuczera, George
Optimizing Urban Water Supply Headworks Using Probabilistic Search Methods. — Li-Jie Cui and George Kuczera; 129(5), 380-7 (2003).

Kumar, M. S. Mohan
Water Quality Parameter Estimation in Steady-State Distribution System. — G. R. Munavalli and M. S. Mohan Kumar; 129(2), 121-34 (2003).
Optimal Scheduling of Multiple Chlorine Sources in Water Distribution Systems. — G. R. Munavalli and M. S. Mohan Kumar; 129(6), 493-504 (2003).

Labadie, John W.
Dynamic Optimal Unit Commitment and Loading in Hydropower Systems. — Jaeeung Yi, John W. Labadie, and Steven Stitt; 129(5), 388-98 (2003).

Lai, Fu-Hsiung
Costs of Best Management Practices and Associated Land for Urban Stormwater Control. —David J. Sample, James P. Heaney, Leonard T. Wright, Chi-Yuan Fan, Fu-Hsiung Lai, and Richard Field; 129(1), 59-68 (2003).

Lambert, Martin F.
Optimal Measurement Site Locations for Inverse Transient Analysis in Pipe Networks. —John P. Vítkovský, James A. Liggett, Angus R. Simpson, and Martin F. Lambert; 129(6), 480-92 (2003).

Lansey, Kevin E.
Optimization of Water Distribution Network Design Using the Shuffled Frog Leaping Algorithm. — Muzaffar M. Eusuff and Kevin E. Lansey; 129(3), 210-25 (2003).

Lasdon, Leon S.
Integrated Hydrologic-Agronomic-Economic Model for River Basin Management. —Ximing Cai, Daene C. McKinney, and Leon S. Lasdon; 129(1), 4-17 (2003).

Lee, Joong Gwang
Estimation of Urban Imperviousness and its Impacts on Storm Water Systems. —Joong Gwang Lee and James P. Heaney; 129(5), 419-26 (2003).

Lemberg, Beth
Controlling Storm-Water Runoff with Tradable Allowances for Impervious Surfaces. —Hale W. Thurston, Haynes C. Goddard, David Szlag, and Beth Lemberg; 129(5), 409-18 (2003).

Lévêque, Christian
TSAI and the Global Water System. —Charles J. Vörösmarty, Carlo Jaeger, Christian Lévêque, and Holger Hoff; 129(2), 83-5 (2003).

Li, Jingyang
Seasonal Prediction with Error Estimation of Columbia River Streamflow in British Columbia. —William W. Hsieh, Yuval, Jingyang Li, Amir Shabbar, and Stephanie Smith; 129(2), 146-9 (2003).

Li, Lanhai
Methodology for Assessment of Climate Change Impacts on Large-Scale Flood Protection System. — Slobodan P. Simonovic and Lanhai Li; 129(5), 361-71 (2003).

Liggett, James A.
Optimal Measurement Site Locations for Inverse Transient Analysis in Pipe Networks. — John P. Vítkovský, James A. Liggett, Angus R. Simpson, and Martin F. Lambert; 129(6), 480-92 (2003).

Lobbrecht, A. H.
Neural Networks and Reinforcement Learning in Control of Water Systems. — B. Bhattacharya, A. H. Lobbrecht, and D. P. Solomatine; 129(6), 458-65 (2003).

Lohani, Vinod K.
Hydrological and Fiscal Impacts of Residential Development: Virginia Case Study. — Darrell J. Bosch, Vinod K. Lohani, Randy L. Dymond, David F. Kibler, and Kurt Stephenson; 129(2), 107-14 (2003).

Lopes, Joao E. G.
Optimization of Large-Scale Hydropower System Operations. — Mario T. L. Barros, Frank T-C. Tsai, Shu-li Yang, Joao E. G. Lopes, and William W-G. Yeh; 129(3), 178-88 (2003).

Lund, Jay R.
Economic-Engineering Optimization for California Water Management. —Andrew J. Draper, Marion W. Jenkins, Kenneth W. Kirby, Jay R. Lund, and Richard E. Howitt; 129(3), 155-64 (2003).

Maguire, Lynn A.
Interplay of Science and Stakeholder Values in Neuse River Total Maximum Daily Load Process. — Lynn A. Maguire; 129(4), 261-70 (2003).

Mahar, Pooran S.
Optimal Design of Multidiameter, Multioutlet Pipelines. — Rajesh P. Singh and Pooran S. Mahar; 129(3), 226-33 (2003).

Maier, Holger R.
Ant Colony Optimization for Design of Water Distribution Systems. —Holger R. Maier, Angus R. Simpson, Aaron C. Zecchin, Wai Kuan Foong, Kuang Yeow Phang, Hsin Yeow Seah, and Chan Lim Tan; 129(3), 200-9 (2003).

Mailhot, Alain
Modeling Water Pipe Breaks—Three Case Studies. —Geneviève Pelletier, Alain Mailhot, and Jean-Pierre Villeneuve; 129(2), 115-23 (2003).

Makropoulos, C. K.
Fuzzy Logic Spatial Decision Support System for Urban Water Management. —C. K. Makropoulos, D. Butler, and C. Maksimovic; 129(1), 69-77 (2003).

Maksimovic, C.
Fuzzy Logic Spatial Decision Support System for Urban Water Management. —C. K. Makropoulos, D. Butler, and C. Maksimovic; 129(1), 69-77 (2003).

Manous, Joe D., Jr.
Projected Sulfate Redistribution As Impacted by Lake Level Stabilization Scenarios: Devils Lake, North Dakota. —Joe D. Manous, Jr., and Heinz G. Stefan; 129(5), 399-408 (2003).

Mays, Larry W.
Closure to "Optimal Operation of Water Distribution Pumps Considering Water Quality" by A. Burcu Altan Sakarya and Larry W. Mays. —A. Burcu Altan Sakarya and Larry W. Mays; 129(1), 82 (2003).

McCormick, G.
Optimal Pump Scheduling in Water Supply Systems with Maximum Demand Charges. — G. McCormick and R. S. Powell; 129(5), 372-9 (2003).

McCuen, Richard H.
Academia in a Declining Economy. — Richard H. McCuen; 129(6), 441-2 (2003).

McKinney, Daene C.
Integrated Hydrologic-Agronomic-Economic Model for River Basin Management. — Ximing Cai, Daene C. McKinney, and Leon S. Lasdon; 129(1), 4-17 (2003).

McMahon, Gerard
Support of Total Maximum Daily Load Programs Using Spatially Referenced Regression Models. — Gerard McMahon, Richard B. Alexander, and Song Qian; 129(4), 315-29 (2003).

Minocha, Vijay K.
Discussion of "Predicting Chlorine Residuals in Drinking Water: Second Order Model" by Robert M. Clark and Mano Sivaganesan. —Vijay K. Minocha; 129(5), 437-8 (2003).

Morel, Paul
Simulation and Control of Chlorine Levels in Water Distribution Networks. —Sophie Constans, Bernard Brémond, and Paul Morel; 129(2), 135-45 (2003).

Munavalli, G. R.
Water Quality Parameter Estimation in Steady-State Distribution System. —G. R. Munavalli and M. S. Mohan Kumar; 129(2), 124-34 (2003).
Optimal Scheduling of Multiple Chlorine Sources in Water Distribution Systems. —G. R. Munavalli and M. S. Mohan Kumar; 129(6), 493-504 (2003).

Nelson, E. James
Improved Process for Floodplain Delineation from Digital Terrain Models. —Nawajish Sayeed Noman, E. James Nelson, and Alan K. Zundel; 129(5), 427-36 (2003).

Noman, Nawajish Sayeed
Improved Process for Floodplain Delineation from Digital Terrain Models. —Nawajish Sayeed Noman, E. James Nelson, and Alan K. Zundel; 129(5), 427-36 (2003).

Osidele, Olufemi O.
Coping with Uncertainty: A Case Study in Sediment Transport and Nutrient Load Analysis. —Olufemi O. Osidele, Wei Zeng, and M. B. Beck; 129(4), 345-55 (2003).

Patton, Thomas K.
Reservoir Simulations of Synthetic Rain Floods for the Sacramento and San Joaquin River Basins. —John T. Hickey, Marchia V. Bond, Thomas K. Patton, Kevin A. Richardson, and Paul E. Pugner; 129(6), 443-57 (2003).

Pelletier, Geneviève
Modeling Water Pipe Breaks—Three Case Studies. —Geneviève Pelletier, Alain Mailhot, and Jean-Pierre Villeneuve; 129(2), 115-23 (2003).

Phang, Kuang Yeow
Ant Colony Optimization for Design of Water Distribution Systems. —Holger R. Maier, Angus R. Simpson, Aaron C. Zecchin, Wai Kuan Foong, Kuang Yeow Phang, Hsin Yeow Seah, and Chan Lim Tan; 129(3), 200-9 (2003).

Powell, R. S.
Optimal Pump Scheduling in Water Supply Systems with Maximum Demand Charges. — G. McCormick and R. S. Powell; 129(5), 372-9 (2003).

Pugner, Paul E.
Reservoir Simulations of Synthetic Rain Floods for the Sacramento and San Joaquin River Basins. — John T. Hickey, Marchia V. Bond, Thomas K. Patton, Kevin A. Richardson, and Paul E. Pugner; 129(6), 443-57 (2003).

Qian, Song
Support of Total Maximum Daily Load Programs Using Spatially Referenced Regression Models. — Gerard McMahon, Richard B. Alexander, and Song Qian; 129(4), 315-29 (2003).

Ranjithan, S. Ranji
Detention Pond Design and Land Use Planning for Watershed Management. — Laura J. Harrell and S. Ranji Ranjithan; 129(2), 98-106 (2003).

Reckhow, K. H.
On the Need for Uncertainty Assessment in TMDL Modeling and Implementation. —K. H. Reckhow; 129(4), 245-6 (2003).

Reckhow, Kenneth H.
Integrated Approach to Total Maximum Daily Load Development for Neuse River Estuary using Bayesian Probability Network Model (Neu-BERN). — Mark E. Borsuk, Craig A. Stow, and Kenneth H. Reckhow; 129(4), 271-82 (2003).
Comparison of Estuarine Water Quality Models for Total Maximum Daily Load Development in Neuse River Estuary. —Craig A. Stow, Chris Roessler, Mark E. Borsuk, James D. Bowen, and Kenneth H. Reckhow; 129(4), 307-14 (2003).

Reuss, Martin
Is It Time to Resurrect the Harvard Water Program? —Martin Reuss; 129(5), 357-60 (2003).

Richardson, Kevin A.
Reservoir Simulations of Synthetic Rain Floods for the Sacramento and San Joaquin River Basins. —John T. Hickey, Marchia V. Bond, Thomas K. Patton, Kevin A. Richardson, and Paul E. Pugner; 129(6), 443-57 (2003).

Rodriguez, Hugo N.
Development of Three-Dimensional Hydrodynamic and Water Quality Models to Support Total Maximum Daily Load Decision Process for the Neuse River Estuary, North Carolina. —Tim A. Wool, Steven R. Davie, and Hugo N. Rodriguez; 129(4), 295-306 (2003).

Roessler, Chris
Comparison of Estuarine Water Quality Models for Total Maximum Daily Load Development in Neuse River Estuary. —Craig A. Stow, Chris Roessler, Mark E. Borsuk, James D. Bowen, and Kenneth H. Reckhow; 129(4), 307-14 (2003).

Sakarya, A. Burcu Altan
Closure to "Optimal Operation of Water Distribution Pumps Considering Water Quality" by A. Burcu Altan Sakarya and Larry W. Mays. —A. Burcu Altan Sakarya and Larry W. Mays; 129(1), 82 (2003).

Sample, David J.
Costs of Best Management Practices and Associated Land for Urban Stormwater Control. — David J. Sample, James P. Heaney, Leonard T. Wright, Chi-Yuan Fan, Fu-Hsiung Lai, and Richard Field; 129(1), 59-68 (2003).

Savic, Dragan A.
Water Reservoir Control with Data Mining. — Florian T. Bessler, Dragan A. Savic, and Godfrey A. Walters; 129(1), 26-34 (2003).
Multiobjective Sampling Design for Water Distribution Model Calibration. — Zoran S. Kapelan, Dragan A. Savic, and Godfrey A. Walters; 129(6), 466-79 (2003).

Seah, Hsin Yeow
Ant Colony Optimization for Design of Water Distribution Systems. — Holger R. Maier, Angus R. Simpson, Aaron C. Zecchin, Wai Kuan Foong, Kuang Yeow Phang, Hsin Yeow Seah, and Chan Lim Tan; 129(3), 200-9 (2003).

Shabbar, Amir
Seasonal Prediction with Error Estimation of Columbia River Streamflow in British Columbia. — William W. Hsieh, Yuval, Jingyang Li, Amir Shabbar, and Stephanie Smith; 129(2), 146-9 (2003).

Shabman, Leonard
Implications of Applying Statistically Based Procedures for Water Quality Assessment. —Leonard Shabman and Eric Smith; 129(4), 330-6 (2003).

Simms, John
Bulk Decay of Chlorine in Water Distribution Systems. — Nicholas B. Hallam, Fang Hua, John R. West, Christopher F. Forster, and John Simms; 129(1), 78-81 (2003).

Simonovic, Slobodan P.
Methodology for Assessment of Climate Change Impacts on Large-Scale Flood Protection System. — Slobodan P. Simonovic and Lanhai Li; 129(5), 361-71 (2003).

Simpson, Angus R.
Ant Colony Optimization for Design of Water Distribution Systems. —Holger R. Maier, Angus R. Simpson, Aaron C. Zecchin, Wai Kuan Foong, Kuang Yeow Phang, Hsin Yeow Seah, and Chan Lim Tan; 129(3), 200-9 (2003).
Optimal Measurement Site Locations for Inverse Transient Analysis in Pipe Networks. —John P. Vítkovský, James A. Liggett, Angus R. Simpson, and Martin F. Lambert; 129(6), 480-92 (2003).

Singh, Rajesh P.
Optimal Design of Multidiameter, Multioutlet Pipelines. — Rajesh P. Singh and Pooran S. Mahar; 129(3), 226-33 (2003).

Sivaganesan, Mano
Closure to "Predicting Chlorine Residuals in Drinking Water: Second Order Model" by Robert M. Clark and Mano Sivaganesan. —Robert M. Clark and Mano Sivaganesan; 129(5), 438-9 (2003).

Smith, Eric
Implications of Applying Statistically Based Procedures for Water Quality Assessment. —Leonard Shabman and Eric Smith; 129(4), 330-6 (2003).

Smith, Stephanie
Seasonal Prediction with Error Estimation of Columbia River Streamflow in British Columbia. — William W. Hsieh, Yuval, Jingyang Li, Amir Shabbar, and Stephanie Smith; 129(2), 146-9 (2003).

Solomatine, D. P.
Neural Networks and Reinforcement Learning in Control of Water Systems. — B. Bhattacharya, A. H. Lobbrecht, and D. P. Solomatine; 129(6), 458-65 (2003).

Stakhiv, Eugene Z.
Disintegrated Water Resources Management in the U.S.: Union of Sisyphus and Pandora. — Eugene Z. Stakhiv; 129(3), 151-4 (2003).

Stefan, Heinz G.
Projected Sulfate Redistribution As Impacted by Lake Level Stabilization Scenarios: Devils Lake, North Dakota. — Joe D. Manous, Jr., and Heinz G. Stefan; 129(5), 399-408 (2003).

Stephenson, Kurt
Hydrological and Fiscal Impacts of Residential Development: Virginia Case Study. — Darrell J. Bosch, Vinod K. Lohani, Randy L. Dymond, David F. Kibler, and Kurt Stephenson; 129(2), 107-14 (2003).

Stitt, Steven
Dynamic Optimal Unit Commitment and Loading in Hydropower Systems. —Jaeeung Yi, John W. Labadie, and Steven Stitt; 129(5), 388-98 (2003).

Stow, Craig A.
Integrated Approach to Total Maximum Daily Load Development for Neuse River Estuary using Bayesian Probability Network Model (Neu-BERN). — Mark E. Borsuk, Craig A. Stow, and Kenneth H. Reckhow; 129(4), 271-82 (2003).
Comparison of Estuarine Water Quality Models for Total Maximum Daily Load Development in Neuse River Estuary. —Craig A. Stow, Chris Roessler, Mark E. Borsuk, James D. Bowen, and Kenneth H. Reckhow; 129(4), 307-14 (2003).

Suen, Jian-Ping
Evaluation of Neural Networks for Modeling Nitrate Concentrations in Rivers. —Jian-Ping Suen and J. Wayland Eheart; 129(6), 505-10 (2003).

Szlag, David
Controlling Storm-Water Runoff with Tradable Allowances for Impervious Surfaces. —Hale W. Thurston, Haynes C. Goddard, David Szlag, and Beth Lemberg; 129(5), 409-18 (2003).

Tan, Chan Lim
Ant Colony Optimization for Design of Water Distribution Systems. —Holger R. Maier, Angus R. Simpson, Aaron C. Zecchin, Wai Kuan Foong, Kuang Yeow Phang, Hsin Yeow Seah, and Chan Lim Tan; 129(3), 200-9 (2003).

Thurston, Hale W.
Controlling Storm-Water Runoff with Tradable Allowances for Impervious Surfaces. —Hale W. Thurston, Haynes C. Goddard, David Szlag, and Beth Lemberg; 129(5), 409-18 (2003).

Tsai, Frank T-C.
Optimization of Large-Scale Hydropower System Operations. —Mario T. L. Barros, Frank T-C. Tsai, Shu-li Yang, Joao E. G. Lopes, and William W-G. Yeh; 129(3), 178-88 (2003).

Tu, Ming-Yen
Optimization of Reservoir Management and Operation with Hedging Rules. — Ming-Yen Tu, Nien-Sheng Hsu, and William W.-G. Yeh; 129(2), 86-97 (2003).

Tucciarelli, T.
Water Level Measurement Locations for Coastal Aquifer Management. — A. Criminisi and T. Tucciarelli; 129(1), 49-58 (2003).

Villeneuve, Jean-Pierre
Modeling Water Pipe Breaks—Three Case Studies. — Geneviève Pelletier, Alain Mailhot, and Jean-Pierre Villeneuve; 129(2), 115-23 (2003).

Vítkovský, John P.
Optimal Measurement Site Locations for Inverse Transient Analysis in Pipe Networks. — John P. Vítkovský, James A. Liggett, Angus R. Simpson, and Martin F. Lambert; 129(6), 480-92 (2003).

Vogel, Richard M.
Decision Support System for Adaptive Water Supply Management. —Kirk S. Westphal, Richard M. Vogel, Paul Kirshen, and Steven C. Chapra; 129(3), 165-77 (2003).

Vojinovic, Zoran
Hybrid Approach for Modeling Wet Weather Response in Wastewater Systems. —Zoran Vojinovic, Vojislav Kecman, and Vladan Babovic; 129(6), 511-21 (2003).

Vonnahme, Donald R.
Impact of Spring 2000 Drought Forecasts on Midwestern Water Management. —Stanley A. Changnon and Donald R. Vonnahme; 129(1), 18-25 (2003).

Vörösmarty, Charles J.
TSAI and the Global Water System. —Charles J. Vörösmarty, Carlo Jaeger, Christian Lévêque, and Holger Hoff; 129(2), 83-5 (2003).

Walker, William W., Jr.
Consideration of Variability and Uncertainty in Phosphorus Total Maximum Daily Loads for Lakes. — William W. Walker, Jr.; 129(4), 337-44 (2003).

Walters, Godfrey A.
Water Reservoir Control with Data Mining. —Florian T. Bessler, Dragan A. Savic, and Godfrey A. Walters; 129(1), 26-34 (2003).
Multiobjective Sampling Design for Water Distribution Model Calibration. —Zoran S. Kapelan, Dragan A. Savic, and Godfrey A. Walters; 129(6), 466-79 (2003).

West, John R.
Bulk Decay of Chlorine in Water Distribution Systems. — Nicholas B. Hallam, Fang Hua, John R. West, Christopher F. Forster, and John Simms; 129(1), 78-81 (2003).

Westphal, Kirk S.
Decision Support System for Adaptive Water Supply Management. —Kirk S. Westphal, Richard M. Vogel, Paul Kirshen, and Steven C. Chapra; 129(3), 165-77 (2003).

Wind, H. G.
Robustness of River Basin Water Quality Models. —C. J. de Blois, H. G. Wind, J. L. de Kok, and K. Koppeschaar; 129(3), 189-99 (2003).

Wool, Tim A.
Development of Three-Dimensional Hydrodynamic and Water Quality Models to Support Total Maximum Daily Load Decision Process for the Neuse River Estuary, North Carolina. — Tim A. Wool, Steven R. Davie, and Hugo N. Rodriguez; 129(4), 295-306 (2003).

Wright, Leonard T.
Costs of Best Management Practices and Associated Land for Urban Stormwater Control. — David J. Sample, James P. Heaney, Leonard T. Wright, Chi-Yuan Fan, Fu-Hsiung Lai, and Richard Field; 129(1), 59-68 (2003).

Yang, Shu-li
Optimization of Large-Scale Hydropower System Operations. — Mario T. L. Barros, Frank T-C. Tsai, Shu-li Yang, Joao E. G. Lopes, and William W-G. Yeh; 129(3), 178-88 (2003).

Yeh, William W-G.
Optimization of Large-Scale Hydropower System Operations. — Mario T. L. Barros, Frank T-C. Tsai, Shu-li Yang, Joao E. G. Lopes, and William W-G. Yeh; 129(3), 178-88 (2003).

Yeh, William W.-G.
Optimization of Reservoir Management and Operation with Hedging Rules. — Ming-Yen Tu, Nien-Sheng Hsu, and William W.-G. Yeh; 129(2), 86-97 (2003).

Yi, Jaeeung
Dynamic Optimal Unit Commitment and Loading in Hydropower Systems. — Jaeeung Yi, John W. Labadie, and Steven Stitt; 129(5), 388-98 (2003).

Yuval
Seasonal Prediction with Error Estimation of Columbia River Streamflow in British Columbia. — William W. Hsieh, Yuval, Jingyang Li, Amir Shabbar, and Stephanie Smith; 129(2), 146-9 (2003).

Zecchin, Aaron C.
Ant Colony Optimization for Design of Water Distribution Systems. — Holger R. Maier, Angus R. Simpson, Aaron C. Zecchin, Wai Kuan Foong, Kuang Yeow Phang, Hsin Yeow Seah, and Chan Lim Tan; 129(3), 200-9 (2003).

Zeng, Wei
Coping with Uncertainty: A Case Study in Sediment Transport and Nutrient Load Analysis. — Olufemi O. Osidele, Wei Zeng, and M. B. Beck; 129(4), 345-55 (2003).

Zundel, Alan K.
Improved Process for Floodplain Delineation from Digital Terrain Models. — Nawajish Sayeed Noman, E. James Nelson, and Alan K. Zundel; 129(5), 427-36 (2003).